


AGCO (Massey, Challenger & Gleaner) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
AGCO Global Cabs with NT01 or Tyton Monitor	Video Capable	NTSC/PAL	1-2		 AgCam PN: AC-FDT01	Not compatible due to video format
Factory Installed C2100 Console (Combines Only) 2012-2015 Challenger, Massey & Gleaner Combines (ALL "C" Serial Numbers)	Video Capable	PAL	1-2	2 Adaptor Cables required: PN: BUSB1 – Connects to a mating connector inside of the headrest PN: BCOMB4C – Connects to a mating connector outside and under the cab, above the feeder housing	 AgCam PN: BUSB1  AgCam PN: BCOMB-4C	Not compatible due to video format
C2100 Console C3000 Console (All Others)	Video Capable	PAL	1-2		 AgCam PN: BUSB1-TC	Not compatible due to video format
C2000 Console 2 2009-2015 Challenger 2009-2015 Massey 2009-2015 Gleaner (ALL "U" Serial Numbers)	Video Capable	PAL	1-2		 AgCam PN: AC-A2C	Not compatible due to video format




AGCO (Massey, Challenger & Gleaner) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
C1000 Model Year 2010-2015 MF 8600 Series AGCO DT-B Series Challenger C-series	Video Capable	PAL	1		 AgCam PN: AC-A1C	Not compatible due to video format
GTA/Console 1 Massey 6400/7400/8400 AGCO DTA/RTA Challenger B-Series 500/600	Video Enabled Models ONLY <i>(check back of monitor for video input)</i>	PAL	1		Adaptor cable no longer available - OBSOLETE	Not compatible due to video format

AgLeader Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
InCommand 800 & 1200	Video Capable	PAL/NTSC	1-4	 <i>*Monitor does not have on board mirroring capability. Use Elite AgCam for this function</i>	AgLeader 4 camera cable PN: 4004494-12 AgLeader 2 Camera cable PN: 4004493-12	 AgLeader PN AND Dakota Micro PN: DMAC-OVC <i>(this adaptor cable is only for a single camera, if you want to hook up 4 cameras, you will need 4 of these)</i>
Versa Integra	Video Capable	PAL/NTSC	1-4		 AgCam PN: DMAC-ALI	 OverView PN: DMOV-ALI
InSight Edge Compass	<u>NOT</u> Video Capable	N/A	NONE	N/A	Not Available	Not Available

ASA (Audiovox) Monitors

Device Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Voyager and ToughCam Monitor	Video Capable	NTSC/PAL	1-4		 AgCam PN: DMAC-ADVX-M	 OverView PN: DMOV-ADVX-M
Voyager and ToughCam Camera to AgCam or EnduraCam monitor	Video Capable	NTSC/PAL	1-4		 AgCam PN: DMAC-ADXC	Not Available







A&I (CabCam) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
CabCam Camera	Video Capable	NTSC	1-4		 AgCam PN: DMAC-OVC	None required, same connectors
CabCam Monitor	Video Capable	NTSC	1-4		 AgCam PN: DMAC-OVM	None required, same connectors



CAT WAVS (Orlaco) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Pre-wired CAT equipment with WAVS (Orlaco) Monitors	Video Capable	NTSC	1-4		 AgCam PN: DMAC-CAT1	 OverView PN: DMOV-CAT1




CNH (Case & New Holland) Monitors




Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
New Holland CR Combines	Video Capable	NTSC/PAL	1-3	See Combine Manual for camera hookup locations	 AgCam PN: DMAC-JD6R	 OverView PN: DMOV-JD6R
CNH 2014 Prewired Combines	Video Capable	NTSC/PAL	1-3	<p>Camera 1 & 2 Connection: located beneath the front, ladder side shield, below the grain tank, just inside the frame</p> <p>Camera 3 Connection: located under the mounting plate of the GPS receiver inside the hopper</p>	 AgCam PN: DMAC-CNH1F	 OverView PN: DMOV-CNH1F
<p>AFS 200</p> <p>AFS Pro 700</p> <p>AFS Pro 300</p> <p>NH IntelliView II & III</p> <p>(NH IntelliView Plus II <i>NOT</i> video Capable)</p>	Video Capable	NTSC/PAL	1	Single camera adaptor plugs directly into BNC plug on rear of monitor	 AgCam PN: DMAC-CNH1	 OverView PN: DMOV-CNH1



CNH (Case & New Holland) Monitors

<p>AFS 200 AFS Pro 700 AFS Pro 300 NH IntelliView II & III <i>(AFS Pro 600 NOT video capable)</i></p>	<p>Video Capable</p>	<p>NTSC/PAL</p>	<p>1-3</p>	<p>Camera 1 Connection: Plugs directly into BNC plug on rear of monitor</p> <p>Camera 2 & 3 Connection: Hardwire directly into bulkhead connection</p>	 <p>AgCam PN: DMAC-CNH3</p>	 <p>OverView PN: DMOV-CNH3</p>
---	----------------------	-----------------	------------	--	--	---


Dakota Micro Inc. Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<p>AgCam 7, 9" or 9" Quad Monitor</p>	<p>Video Capable</p>	<p>NTSC/PAL</p>	<p>1-4</p>		<p>None required, same connectors</p>	 <p>OverView PN: DMAC-OVC</p>
<p>OverView 7" or 7" Quad monitor <i>(Same connectors as CabCam)</i></p>	<p>Video Capable</p>	<p>NTSC/PAL</p>	<p>1-4</p>		 <p>AgCam PN: DMAC-OVM</p>	<p>None required, same connectors</p>








DICKEY-john Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
IntelliAg 10" VT	Video Capable	PAL	1-2		 AgCam PN: AC-A2C	Not compatible due to video format
IntelliAg 5" VT	Video enabled models ONLY	PAL	1		Adaptor cable no longer available - OBSOLETE	Not compatible due to video format

Fendt Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
AGCO Global Cabs with NT01 or Tyton Monitor Or VarioTerminal 10.4" Tier 4i 700, 800 & 900 Series <i>(10.4" standard, 7" below is optional on this series tractor)</i>	Video Capable	NTSC/PAL	1-2		 AgCam PN: AC-FDT01	Not compatible due to video format
VarioTerminal VarioTerminal 7" VarioTerminal 5"	<u>NOT</u> Video Capable	None	N/A	N/A	Not Video Capable	Not Video Capable






Kuhn/Spudnik Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
CCI100	Video Capable	NTSC/PAL	1		Adaptor cable no longer available - OBSOLETE	Not Available


John Deere Monitors





Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Generation 4 Command Center - 4600 w/ Touch Screen	Video Capable	NTSC/PAL	4	Hookups located outside the cab, see JD equipment users manual for locations	 AgCam PN: DMAC-JDCOC	 OverView PN: DMOV-JDCOC
GreenStar 3 2630	Video Capable	NTSC/PAL	1-3		 AgCam PN: DMAC-JD3C	 OverView PN: DMOV-JD3C
John Deere Command View II Cab Equipped with GreenStar 3 2630 Monitors	Video Capable	NTSC/PAL	1-3	Hookups located outside the cab, see JD equipment users manual for locations	 AgCam PN: DMAC-JD2COC	 OverView PN: DMOV-JD2COC

John Deere Monitors

GreenStar 3 Command Center w/ Touch Screen	Video Capable <u>(Touch screen ONLY!)</u>	NTSC/PAL	1		 AgCam PN: DMAC-JDCOC	 OverView PN: DMOV-JDCOC
Pre-wired John Deere R Series Tractors & S Series Combines <i>Premium Cabs ONLY</i>	Video Capable	NTSC/PAL	1	Hookup located inside the cab, behind seat	 AgCam PN: DMAC-JD6R	 OverView PN: DMOV-JD6R
GreenStar 2 1800 GreenStar 2 2600	<u>NOT</u> Video Capable	N/A	N/A	N/A	Not Video Capable	Not Video Capable

Lexion/Class Monitors



Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Lexion Combine, Claas 780-670 Choppers, Jaguar 930-980 and 880-840 With pre installed ProfiCam Monitor	Video Capable	PAL	1	Varies	 AgCam PN: DMAC-CLS	Not compatible due to video format
Cebis	<u>NOT</u> Video Capable	N/A	NONE	N/A	Not Video Capable	Not Video Capable

Misc. Devices						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Television/VCR	Video Capable	NTSC/PAL (depends upon model)	Varies		 AgCam PN: DMAC-TVA	Not Available
Computer	Video Capable	NTSC/PAL	Varies		 AgCam PN: DMAC-2USB	Not Available
DVR <i>(short distances)</i>	Video Capable	NTSC/PAL	Varies		 AgCam PN: DMAC-CNH1	Not Available
Surveillance System <i>(Security system camera into DM system)</i>	Video Capable	NTSC/PAL	Varies	Misc.	 AgCam PN: DMAC-SCA	Not Available
Surveillance System <i>(DM Camera into existing security system)</i>	Video Capable	NTSC/PAL	Varies	Misc.	 AgCam PN: DMAC-SSA	Not Available

Motec Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Motec Camera (allows for an AgCam monitor to be used with a Motec camera)	Video Capable	PAL	1-4		 AgCam PN: DMAC-MTC	Not Available
Motec Monitor (allows for an AgCam camera to be input into a Motec Monitor)	Video Capable	PAL	1-4		 AgCam PN: DMAC-MTM	Not Available



Mueller Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Basic Terminal Comfort Terminal Track Guide II GuideME w/ installed GSM modem	Video Capable	PAL	2		Adaptor cable no longer available - OBSOLETE	Not Available

Outback/AgJunction (Formerly Hemisphere GPS) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Outback Max	Video Capable	NTSC/PAL	4		Cable Sold by Hemisphere, Adaptor Cable PN: 051-0285-000	Outback Adaptor cable + OverView conversion cable: PN: DMAC-OVC
Outback STs Outback S3 Outback S-LITE	<u>NOT</u> Video Capable	N/A	NONE		Not Video Capable	Not Video Capable

Raven Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Raven Viper 4	Video Capable	NTSC/PAL	1-4		Cable sold by Raven Adaptor Cable PN: <u>11150172077</u>	Raven Adaptor cable + OverView conversion cable: PN: DMAC-OVC
Viper Viper Pro Envizio Envizio Pro	<u>NOT</u> Video Capable	N/A	NONE	Varies	Not Video Capable	Not Video Capable

TeeJet Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Matrix 570G Matrix 840G	Video Capable	PAL/NTSC	Unk		None required, same connectors	 OverView PN: DMAC-OVC

TOPCON Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
X20	Video Capable	PAL	1-4		 AgCam PN: DMAC-USB1-TC	Not compatible due to video format
X30	Video Capable (requires unlock Key)	PAL/NTSC	1-2		 AgCam PN: DMAC-USB1-TC	Not compatible due to video format

Trimble Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
AgGPS FmX/FM1000	Video Capable	PAL/NTSC	1-4		 AgCam PN: DMAC-TRMBL-FMX	 OverView PN: DMOV-TRMBL-FMX
CFX-750	Video Capable	PAL/NTSC	1-2		 AgCam PN: DMAC-TRMBL-FMX	 OverView PN: DMOV-TRMBL-FMX
TMX-2050	Video Capable	NTSC	1-2		EXP-100 Kit Available ONLY through Trimble dealers PN: <u>101990-01</u>	EXP-100 Kit PLUS  OverView PN: DMAC-OVC
AgGPS Field Manager EZ Guide	<u>NOT</u> Video Capable	N/A	NONE	N/A	Not Video Capable	Not Video Capable

Versatile Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Versatile Display Monitor	Video Capable	PAL	1		 AgCam PN: VER-WAC11	Not compatible due to video format