



## AGCO (Massey, Challenger & Gleaner) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>AGCO Global Cabs with NT01 or Tyton Monitor</b>	Video Capable	NTSC/PAL	1-2		 AgCam PN: AC-FDT01	Not compatible due to video format
<b>Factory Installed C2100 Console (Combines Only)</b> 2012-2015 Challenger, Massey & Gleaner Combines (ALL "C" Serial Numbers)	Video Capable	PAL	1-2	<b>2 Adaptor Cables required:</b>  PN: BUSB1 – Connects to a mating connector inside of the headrest  PN: BCOMB4C – Connects to a mating connector outside and under the cab, above the feeder housing	 <a href="#">AgCam PN: BUSB1</a>  <a href="#">AgCam PN: BCOMB-4C</a>	Not compatible due to video format
<b>C2100 Console C3000 Console</b> (All Others)	Video Capable	PAL	1-2		 <a href="#">AgCam PN: BUSB1-TC</a>	Not compatible due to video format
<b>C2000 Console 2</b> 2009-2015 Challenger 2009-2015 Massey 2009-2015 Gleaner (ALL "U" Serial Numbers)	Video Capable	PAL	1-2		 <a href="#">AgCam PN: AC-A2C</a>	Not compatible due to video format

## AGCO (Massey, Challenger & Gleaner) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>C1000</b> Model Year 2010-2015 MF 8600 Series AGCO DT-B Series Challenger C-series	Video Capable	PAL	1		 <a href="#">AgCam PN: AC-A1C</a>	Not compatible due to video format
<b>GTA/Console 1</b> Massey 6400/7400/8400 AGCO DTA/RTA Challenger B-Series 500/600	Video Enabled Models ONLY (check back of monitor for video input)	PAL	1		 <a href="#">PN: AC-GTA</a>	Not compatible due to video format

## AgLeader Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>InCommand 800 &amp; 1200</b>	Video Capable	PAL/NTSC	1-4	 *Monitor does not have on board mirroring capability. Use Elite AgCam for this function	AgLeader 4 camera cable PN: 4004494-12 AgLeader 2 Camera cable PN: 4004493-12	 AgLeader PN <b>AND</b> Dakota Micro PN: DMAC-OVC (this adaptor cable is only for a single camera, if you want to hook up 4 cameras, you will need 4 of these)
<b>Versa Integra</b>	Video Capable	PAL/NTSC	1-4		 AgCam PN: DMAC-ALI	 OverView PN: DMOV-ALI
<b>InSight Edge Compass</b>	<u>NOT</u> Video Capable	N/A	NONE	N/A	Not Available	Not Available

### ASA (Audiovox) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Voyager	Video Capable	NTSC/PAL	1-4		 AgCam PN: DMAC-ADVX-M	 OverView PN: DMOV-ADVX-M
ToughCam	Video Capable	NTSC/PAL	1-4		 AgCam PN: DMAC-ADVX-M	 OverView PN: DMOV-ADVX-M







### A&I (CabCam) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
CabCam Camera	Video Capable	NTSC	1-4		 AgCam PN: DMAC-OVC	None required, same connectors
CabCam Monitor	Video Capable	NTSC	1-4		 AgCam PN: DMAC-OVM	None required, same connectors

### CAT WAVS (Orlaco) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Pre-wired CAT equipment with WAVS (Orlaco) Monitors	Video Capable	NTSC	1-4		 AgCam PN: DMAC-CAT1	 OverView PN: DMOV-CAT1





### CNH (Case & New Holland) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
CNH 2014 Prewired Combines	Video Capable	NTSC/PAL	1-3	<p><b>Camera 1 &amp; 2 Connection:</b> located beneath the front, ladder side shield, below the grain tank, just inside the frame</p> <p><b>Camera 3 Connection:</b> located under the mounting plate of the GPS receiver inside the hopper</p>	 AgCam PN: DMAC-CNH1F	 OverView PN: DMOV-CNH1F
<p>AFS 200 AFS Pro 700 AFS Pro 300 NH IntelliView II &amp; III (NH IntelliView Plus II <u>NOT</u> video Capable)</p>	Video Capable	NTSC/PAL	1	Single camera adaptor plugs directly into BNC plug on rear of monitor	 AgCam PN: DMAC-CNH1	 OverView PN: DMOV-CNH1
<p>AFS 200 AFS Pro 700 AFS Pro 300 NH IntelliView II &amp; III (AFS Pro 600 <u>NOT</u> video capable)</p>	Video Capable	NTSC/PAL	1-3	<p><b>Camera 1 Connection:</b> Plugs directly into BNC plug on rear of monitor</p> <p><b>Camera 2 &amp; 3 Connection:</b> Hardwire directly into bulkhead connection</p>	 AgCam PN: DMAC-CNH3	 OverView PN: DMOV-CNH3

### Dakota Micro Inc. Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>AgCam</b> 7", 7" Quad, 9" or 9" Quad Monitor	Video Capable	NTSC/PAL	1-4		None required, same connectors	 OverView PN: DMAC-OVC
<b>OverView</b> 7" or 7" Quad monitor <i>(Same connectors as CabCam)</i>	Video Capable	NTSC/PAL	1-4		 AgCam PN: DMAC-OVM	None required, same connectors



### DICKEY-john Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>IntelliAg 10" VT</b>	Video Capable	PAL	1-2		 AgCam PN: AC-A2C	Not compatible due to video format
<b>IntelliAg 5" VT</b>	Video enabled models <b>ONLY</b>	PAL	1		 AgCam PN: AC-GTA	Not compatible due to video format












### Fendt Monitors


Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>VarioTerminal 10.4"</b> Tier 4i 700, 800 & 900 Series <i>(10.4" standard, 7" below is optional on this series tractor)</i>	Video Capable	NTSC/PAL	1-2		 AgCam PN: AC-FDT01	Not compatible due to video format
<b>VarioTerminal 7"</b> <b>VarioTerminal 5"</b>	<u>NOT</u> Video Capable	None	N/A	N/A	Not Video Capable	Not Video Capable








### Kuhn/Spudnik Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>CCI100</b>	Video Capable	NTSC/PAL	1		 AgCam PN: DMac-KH1	Not Available



## John Deere Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>Generation 4 Command Center - 4600 w/ Touch Screen</b>	Video Capable	NTSC/PAL	4	Hookups located outside the cab, see JD equipment users manual for locations	 AgCam PN: DMAC-JDCOC	 OverView PN: DMOV-JDCOC
<b>GreenStar 3 2630</b>	Video Capable	NTSC/PAL	1-3		 AgCam PN: DMAC-JD3C	 OverView PN: DMOV-JD3C
<b>John Deere Command View II Cab</b> <i>Equipped with GreenStar 3 2630 Monitors</i>	Video Capable	NTSC/PAL	1-3	Hookups located outside the cab, see JD equipment users manual for locations	 AgCam PN: DMAC-JD2COC	 OverView PN: DMOV-JD2COC
<b>GreenStar 3 Command Center w/ Touch Screen</b>	Video Capable <b>(Touch screen ONLY!)</b>	NTSC/PAL	1		 AgCam PN: DMAC-JDCOC	 OverView PN: DMOV-JDCOC
<b>Pre-wired John Deere R Series Tractors &amp; S Series Combines</b> <i>Premium Cabs ONLY</i>	Video Capable	NTSC/PAL	1	Hookup located inside the cab, behind seat	 AgCam PN: DMAC-JD6R	 OverView PN: DMOV-JD6R
<b>GreenStar 2 1800</b> <b>GreenStar 2 2600</b>	<u>NOT</u> Video Capable	N/A	N/A	N/A	<b>Not Video Capable</b>	<b>Not Video Capable</b>



Lexion/Class Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Lexion Combine, Claas 780-670 Choppers, Jaguar 930-980 and 880-840  With pre installed ProfiCam Monitor	Video Capable	PAL	1	Varies	 AgCam PN: DMAC-CLS	Not compatible due to video format
Cebis	<u>NOT</u> Video Capable	N/A	NONE	N/A	Not Video Capable	Not Video Capable



Misc. Devices						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Television/VCR	Video Capable	NTSC/PAL (depends upon model)	Varies		 AgCam PN: DMAC-TVA	Not Available
Computer	Video Capable	NTSC/PAL	Varies		 AgCam PN: DMAC-2USB	Not Available
DVR (short distances)	Video Capable	NTSC/PAL	Varies		 AgCam PN: DMAC-DVR-P	Not Available
DVR (long distances over CAT5)	Video Capable	NTSC/PAL	Varies		AgCam PN: DMAC-BO24-F (Female Side) AgCam PN: DMAC-BO24-M (Male side)	Not Available






Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>Surveillance System</b> <i>(Security system camera into DM system)</i>	Video Capable	NTSC/PAL	Varies	Misc.	 AgCam PN: DMAC-SCA	Not Available
<b>Surveillance System</b> <i>(DM Camera into existing security system)</i>	Video Capable	NTSC/PAL	Varies	Misc.	 AgCam PN: DMAC-SSA	Not Available

<b>Motec Monitors</b>						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>Motec Camera</b> <i>(allows for an AgCam monitor to be used with a Motec camera)</i>	Video Capable	PAL	1-4		 AgCam PN: DMAC-MTC	Not Available
<b>Motec Monitor</b> <i>(allows for an AgCam camera to be input into a Motec Monitor)</i>	Video Capable	PAL	1-4		 AgCam PN: DMAC-MTM	Not Available

Mueller Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>Basic Terminal</b> <b>Comfort Terminal</b> <b>Track Guide II</b> <b>GuideME</b> w/ installed GSM modem	Video Capable	PAL	2		 AgCam PN: DMAC-MLR01	Not Available



Outback/AgJunction (Formerly Hemisphere GPS) Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>Outback Max</b>	Video Capable	NTSC/PAL	4		Cable Sold by Hemisphere, Adaptor Cable PN: 051-0285-000	Outback Adaptor cable + OverView conversion cable: PN: DMAC-OVC
<b>Outback STs</b> <b>Outback S3</b> <b>Outback S-LITE</b>	<u>NOT</u> Video Capable	N/A	NONE		Not Video Capable	Not Video Capable

Raven Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>Raven Viper 4</b>	Video Capable	NTSC/PAL	1-4		Cable sold by Raven Adaptor Cable PN: <b><u>11150172077</u></b>	Raven Adaptor cable + OverView conversion cable: PN: DMAC-OVC
<b>Viper</b> <b>Viper Pro</b> <b>Envizio</b> <b>Envizio Pro</b>	<u>NOT</u> Video Capable	N/A	NONE	Varies	Not Video Capable	Not Video Capable

TeeJet Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>Matrix 570G</b> <b>Matrix 840G</b>	Video Capable	PAL/NTSC	Unk		None required, same connectors	 OverView PN: DMAC-OVC

TOPCON Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
<b>X20</b>	Video Capable	PAL	1-4		 AgCam PN: DMAC-USB1-TC	Not compatible due to video format
<b>X30</b>	Video Capable (requires unlock Key)	PAL/NTSC	1-2		 AgCam PN: DMAC-USB1-TC	Not compatible due to video format

Trimble Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
AgGPS FmX/FM1000	Video Capable	PAL/NTSC	1-4		 AgCam PN: DMAC-TRMBL-FMX	 OverView PN: DMOV-TRMBL-FMX
CFX-750	Video Capable	PAL/NTSC	1-2		 AgCam PN: DMAC-TRMBL-FMX	 OverView PN: DMOV-TRMBL-FMX
TMX-2050	Video Capable	NTSC	1-2		EXP-100 Kit Available ONLY through Trimble dealers PN: <b><u>101990-01</u></b>	EXP-100 Kit PLUS  OverView PN: DMAC-OVC
AgGPS Field Manager EZ Guide	<u>NOT</u> Video Capable	N/A	NONE	N/A	Not Video Capable	Not Video Capable

Versatile Monitors						
Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo or Hookup info	AgCam Adaptor	OverView Adaptor
Versatile Display Monitor	Video Capable	PAL	1		 AgCam PN: VER-WAC11	Not compatible due to video format