

AGCO (Massey, AGCO, Challenger & Gleaner Monitors)

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Factory Installed C2100 Console (Combines Only) 2012 & 2013 Challenger, Massey & Gleaner Combines <i>(ALL "C" Serial Numbers)</i>	Video Capable	PAL	1-2			BUSB1 & BCOMB4C	N/A <i>(Requires PAL Camera)</i>
C2100 Console (All Others)	Video Capable	PAL	1-2			BUSB1-TC	N/A <i>(Requires PAL Camera)</i>
C3000 Console White Planters	Video Capable	PAL	1-2			BUSB1-TC	N/A <i>(Requires PAL Camera)</i>
C2000 Console 2 2009 Challenger 2009 Massey 2009 Gleaner <i>(ALL "U" Serial Numbers)</i>	Video Capable	PAL	1-2			AC-A2C	N/A <i>(Requires PAL Camera)</i>
C1000 Model Year 2010/11 MF 8600 Series AGCO DT-B Series Challenger C-series	Video Capable	PAL	1			AC-A1C	N/A <i>(Requires PAL Camera)</i>
GTA/Console 1 Massey 6400/7400/8400 AGCO DTA/RTA Challenger B-Series 500/600	Video Enabled Models ONLY <i>(check back of monitor for video input)</i>	PAL	1			AC-GTA	N/A <i>(Requires PAL Camera)</i>

AgLeader Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor & Camera kit P/N
Versa	Video Capable	PAL/NTSC	1-4			DMAC-ALI	DMOV-ALI
Integra	Video Capable	PAL/NTSC	1-4			DMAC-ALI	DMOV-ALI
InSight	<u>NOT</u> Video Capable	N/A	NONE				
Edge	<u>NOT</u> Video Capable	N/A	NONE				

ASA (Audiovox) Monitors


Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Input connector Photo	AgCam Adaptor P/N	OverView Adaptor P/N
Voyager	Video Capable	NTSC/PAL	1-4			DMAC-ADVX-M	<i>Not available at this time</i>

A&I (CabCam) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Input connector Photo	AgCam Adaptor P/N	OverView Adaptor P/N
OverView & Other Misc. Imports CabCam (all styles)	Video Capable	NTSC	1-4			DMAC-OVM	None needed, same adaptor

Case IH Monitors





(Single camera adaptors use BNC indicated w/ red arrow on rear of unit. 3 camera adaptors use BNC & 2 terminals in the 26-pin connector)

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor & Camera kit P/N
<p>AFS 200 <i>(Same as NH IntelliView II)</i></p>	Video Capable	NTSC/PAL	1-3			<p>DMAC-CN11 <i>(single camera)</i></p> <p>DMAC-CN13 <i>(three camera)</i></p>	<p>DMOV-CN11 <i>(single camera)</i></p> <p>DMOV-CN13 <i>(three camera)</i></p>
<p>AFS Pro 600 <i>(same as NH IntelliView Plus II)</i></p>	<u>NOT</u> Video Capable	N/A	NONE				
<p>AFS Pro 300 <i>(same as NH IntelliView III)</i></p>	Video Capable	NTSC/PAL	1-3			<p>DMAC-CN11 <i>(single camera)</i></p> <p>DMAC-CN13 <i>(three camera)</i></p>	<p>DMOV-CN11 <i>(single camera)</i></p> <p>DMOV-CN13 <i>(three camera)</i></p>
<p>AFS Pro 700 <i>(same as NH IntelliView IV)</i></p>	Video Capable	NTSC/PAL	1-3			<p>DMAC-CN11 <i>(single camera)</i></p> <p>DMAC-CN13 <i>(three camera)</i></p>	<p>DMOV-CN11 <i>(single camera)</i></p> <p>DMOV-CN13 <i>(three camera)</i></p>

Dakota Micro, Inc. Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
AgCam 7", 7" Quad, 9" or 9" Quad Monitor	Video Capable	NTSC/PAL	1-4		via video input harness	No adaptor needed, uses AgCam connectors	DMAC-OVC
OverView 7" or 7" Quad monitor <i>(Same connectors as CabCam)</i>	Video Capable	NTSC/PAL	1-4		via video input harness	DMAC-OVM	No adaptor needed, uses OverView connectors

DICKEY-john Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
IntelliAg 10" VT	Video Capable	PAL	1-2			AC-A2C	N/A (Requires PAL Camera)
IntelliAg 5" VT	Video enabled models ONLY	PAL	1			AC-GTA	N/A (Requires PAL Camera)


Fendt Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
VarioTerminal 10.4" Tier 4i 700, 800 & 900 Series <i>(10.4" standard, 7" below is optional on this series tractor)</i>	Video Capable	NTSC/PAL	1-2		Connectors on back of arm rest	AC-FDT01	DMAC-OVC
VarioTerminal 7" Tier 4i 700 Series <i>(7" standard, 10.4" above is optional on this series tractor)</i>	<u>NOT</u> Video Capable	None	N/A		(This section of the table is redacted with a solid dark blue background.)		
VarioTerminal 5" 900 Series Tier 3 (<i>red wheel</i>)	<u>NOT</u> Video Capable	None	N/A				
VarioTerminal 700/800 Tier 3 900 Tier 2 (<i>silver wheel</i>)	Needs camera kit installed. Displays black & white only	PAL	1				

FW Murphy Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Powerview 750	Video Capable	NTSC/PAL	1-4		Not Available	Uses AgCam connectors	DMAC-OVC

Kuhn/Spudnik Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
CCI100	Video Capable	NTSC/PAL	1		Not Available	DMAC-KH1	<i>Not available at this time</i>


John Deere Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor & Camera kit P/N
GreenStar 3 2630	Video Capable	NTSC/PAL	1-3			DMAC-JD3C	DMOV-JD3C
GreenStar 3 Command Center	Video Capable	NTSC/PAL	1		Connector located on exterior right, rear of cab.	DMAC-JDCOC	DMOV-JDCOC
GreenStar 2 1800	<u>NOT</u> Video Capable	N/A	N/A				
GreenStar 2 2600	<u>NOT</u> Video Capable	N/A	N/A				





Leica

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Mojo3D	<u>NOT</u> Video Capable	N/A	NONE	Not Available			

Lexion/Claas Monitors


Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Cebis	<u>NOT</u> Video Capable	N/A	NONE				

Misc.

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Television/VCR	Video Capable	NTSC/PAL (depends upon model)	Varies		Connector features Male RCA & power	DMAC-TVA	<i>Not available at this time</i>
Computer	Video Capable	NTSC/PAL	Varies		Connector features USB plug	DMAC-2USB	<i>Not available at this time</i>
DVR <i>(short distances)</i>	Video Capable	NTSC/PAL	Varies		Connector features BNC Female & separate power	DMAC-DVR-P	DMOV-DVR-P
DVR <i>(long distances over CAT5)</i>	Video Capable	NTSC/PAL	Varies		Connector features CAT5 plug	DMAC-BO24-F (female) & DMAC-BO24-M (male)	<i>Not available at this time</i>

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Surveillance System <i>(Security system camera into DM system)</i>	Video Capable	NTSC/PAL	Varies	Misc.	Connector features BNC Male	DMAC-SCA	<i>Not available at this time</i>
Surveillance System <i>(DM Camera into existing security system)</i>	Video Capable	NTSC/PAL	Varies	Misc.	Connector Features BNC Male & separate Power	DMAC-SSA	<i>Not available at this time</i>

Mueller Monitors




Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Basic Terminal TOP	Video Capable	PAL	2		N/A	DMAC-MLR01 <i>(Note: The connector is the same as Fendt, but the pin-out is different, and they are not interchangeable)</i>	N/A <i>(Requires PAL Camera)</i>

New Holland Monitors

(Single camera adaptors use BNC indicated w/ red arrow on rear of unit. 3 camera adaptors use BNC & 2 terminals in the 26-pin connector)

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor & Camera kit P/N
IntelliView II <i>(same as Case IH AFS 200)</i>	Video Capable	NTSC/PAL	1-3			DMAC-CNH1 <i>(single camera)</i> DMAC-CNH3 <i>(three camera)</i>	DMOV-CNH1 <i>(single camera)</i> DMOV-CNH3 <i>(three camera)</i>
IntelliView Plus II <i>(same as Case IH AFS Pro 600)</i>	<u>NOT</u> Video Capable	N/A	NONE		This monitor does not have video input options.		
IntelliView III <i>(same as Case IH AFS Pro 300)</i>	Video Capable	NTSC/PAL	1-3			DMAC-CNH1 <i>(single camera)</i> DMAC-CNH3 <i>(three camera)</i>	DMOV-CNH1 <i>(single camera)</i> DMOV-CNH3 <i>(three camera)</i>
IntelliView IV <i>(same as Case IH AFS Pro 700)</i>	Video Capable	NTSC/PAL	1-3			DMAC-CNH1 <i>(single camera)</i> DMAC-CNH3 <i>(three camera)</i>	DMOV-CNH1 <i>(single camera)</i> DMOV-CNH3 <i>(three camera)</i>

Outback/AgJunction (formerly Hemisphere) GPS Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Outback Max	Video Capable	NTSC/PAL	4		N/A	Cable Sold by Hemisphere, Part Number: 051-0285-000	Outback Adaptor cable + OverView conversion cable: PN: DMAC-OVC
Outback STs	<u>NOT</u> Video Capable	N/A	NONE				
Outback S3	<u>NOT</u> Video Capable	N/A	NONE				


Raven Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Raven Viper 4	Video Capable	NTSC/PAL	1-4			Raven Adaptor Cable PN: <u>11150172077</u>	Raven Adaptor cable + OverView conversion cable: PN: DMAC-OVC
Viper / Viper Pro	<u>NOT</u> Video Capable	N/A	NONE				
Envizio / Envizio Pro	<u>NOT</u> Video Capable	N/A	NONE				

TeeJet Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Matrix 570G	Video Capable	PAL/NTSC	Unk		N/A	Uses AgCam connectors	DMAC-OVC
Matrix 840G	Video Capable	PAL/NTSC	Unk		N/A	Uses AgCam connectors	DMAC-OVC



TOPCON Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
X20	Video Capable	PAL	1-4			TOPCON adaptor PN: X20 AgCam interface	N/A (Requires PAL Camera)
X30	Video Capable	PAL	1-2			DMAC-USB1-TC	N/A (Requires PAL Camera)

Trimble Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
TMX-2050	Video Capable	PAL/NTSC	1		Not available	DMAC-TRMBL-FMX	DMOV-TRMBL-FMX
AgGPS FmX/FM1000	Video Capable	PAL/NTSC	1-4			DMAC-TRMBL-FMX	DMOV-TRMBL-FMX
CFX-750	Video Capable	PAL/NTSC	1-2			DMAC-TRMBL-FMX	DMOV-TRMBL-FMX
EZ-Guide All models - 250, 500 & Plus	<u>NOT</u> Video Capable	N/A	NONE				
AgGPS Field Manager	<u>NOT</u> Video Capable	N/A	NONE				

Versatile (Buhler) Monitors

Monitor Type	Video Capability	Video Format	# of Video Inputs	Monitor Photo (front)	Monitor Photo (rear) Arrows indicate video inputs	AgCam Adaptor P/N	OverView Adaptor P/N
Versatile Display Monitor	Video Capable	PAL	1			VER-WAC11	N/A (Requires PAL Camera)