Camera Systems Guide

EnduraCam RazerCam AgCam® OverView

SEE WHAT YOU'VE BEEN MISSING

Dakota Micro's line of rearview and surveillance cameras are designed from the ground up to be the toughest, most reliable imaging technology around. Dakota Micro monitors come in many options, from a standard single view monitor to a quad monitor that allows you to see 1, 2, or 4 images at the same time.

We offer a wide variety of accessories and custom options to ensure the right view for any job. All our cameras deliver clear video images through dust, mud, rain, snow and whatever else comes up at any job site.

In order to provide the highest quality service, Dakota Micro has curated a dealer network with over 700 dealerships in North America and dozens more across the globe.

Dakota Micro Camera Systems are designed for a variety of applications and environments. Using a Dakota Micro camera system will help improve safety, productivity, and efficiency. A few example applications include:

Close monitoring of moving parts
Unloading trucks
Material loading and unloading
Machine hopper

Backup camera
Rearview for tractors or trucks
Monitor sprayer booms
Surveillance outside buildings

Large augers and conveyors
Unloading spouts
Monitor gauges
Surveillance inside buildings

	AgCam	EnduraCam	RazerCam	OverView
	The legendary HD AgCam can take anything you can dish out. 100% water proof, solid aluminum housing and heavy duty mounting magnets are just the start of the practical features that make this the best camera system, no matter the job.	Cameras don't come any tougher than this. Built to perform flawlessly in the harshest environments, the EnduraCam gives you crystal clear HD video images and a better and safer way to get your job done.	Our flush mount camera, the RazerCam, has a 170 degree field of view. This allows you to see a much larger area to stop those pesky accidents from happening.	Our entry level system offers the convenience and dependability of a Dakota Micro product at an affordable price. Ideal for use in anything but the harshest environments, it is easy to see the value it delivers.
Catalog pages	Pgs. 4-7	Pgs. 8-9	Pgs. 12-13	Pgs. 14-15
Durability	★★★★½	★★★★★	★★★★	★★★
Resolution	True HD Resolution (720P)	True HD Resolution (720P)	Choice: 720P or 700 TVL	600 TVL
Country of Mfg	MADE IN USA	MADE IN USA	CHINA	CHINA
Warranty	3 Years	3 Years	1 Year	1 Year
Waterproof Rating	IP69 Anodized Aluminum	IP69 Anodized Aluminum	Powder Coated Aluminum	Powder Coated Aluminum
Connector Type	5 Pin Switchcraft	5 Pin Switchcraft	5 Pin Switchcraft	4 Pin OverView
Additional Internal Reinforcement	-	YES	-	-

SEE WHAT OUR CUSTOMERS HAVE TO SAY

Pat Roggod - Gregory, South Dakota
The wireless AgCam camera system has been such an asset. We have saved several calves already, and in these temperatures, it has been a blessing. We have set it up on our house, but can take the antenna & receiver to our office about 3/8 mile north, and it works great. I feel it's the best purchase we've made in a long time.

Linda Swarinsky - Rockford, Illinois
Thank you for the quick shipping. The AgCam is now installed on our JD 4710 Sprayer on the rear boom & it is working great. It showed a problem clog on a spray tip———the very first day! Well worth it! Thanks again.

Eagle Carriage - La Grande, Oregon
We have used Dakota Micro Camera's on our remote controlled line grapples for four years and find them to be very durable and user friendly.

"Dozer" Dave Turin- Sandy, Oregon
So we work around a lot of camera folks, and they've never been around big equipment, and they get used to a back-up horn. They don't even hear them anymore . . . So for me to have this camera really is about safety. Cause right here [behind truck], with my mirrors, I probably couldn't see somebody.

Clay Pierce- Ansgar, Iowa
Installing the new AHD cameras on a Case 3530 floater, they withstand the fertilizer so well on our older machines that we're adding them to the new one! Also, have one installed on the back for rear view

AHD CAMERA & MONITOR KITS

AHD PAL Camera and Monitor Double Camera Kits

AgCam 9in AHD LED backlit Quad Monitor, Double camera Kit   AG-H9QC2P
AgCam 9in AHD LED backlit Quad DVR Monitor, Double camera kit   AG-H9QDC2P
AgCam 9in AHD LED backlit Monitor, Double camera Kit   AG-H9C2P
AgCam 7in AHD LED backlit Monitor, Double camera Kit   AG-H7C2P

Double Camera Kits Include:
Qty 2 - 20ft Power/video extension cables
Qty 2 - 60ft Power/video extension cables
Qty 1 - Monitor (choice of 9in Quad, 9in or 7in) w/ sun shield and stand
Qty 2 - AgCam AHD PAL 92° FOV forward facing cameras
Qty 1 - A/C power adapter
Qty 1 - 12v cigarette lighter power adapter
Qty 1 - Monitor wire harness

AHD PAL Camera and Monitor Single Camera Kits

AgCam 9in AHD LED backlit Monitor, Single camera Kit   AG-H9C1P
AgCam 7in AHD LED backlit Monitor, Single camera Kit   AG-H7C1P

Single Camera Kits Include:
Qty 1 - 20ft Power/video extension cable
Qty 1 - 60ft Power/video extension cable
Qty 1 - Monitor (choice of 9in or 7in) w/ sun shield and stand
Qty 1 - AgCam AHD PAL 92° FOV forward facing camera
Qty 1 - A/C power adapter
Qty 1 - 12v cigarette lighter power adapter
Qty 1 - Monitor wire harness

CAMERA SETUP GUIDE

Need some assistance with camera usage on machines other than tractors? Don't forget our Solutions Guides; Perfect Visuals of What goes Where! View and download at: www.dakotamicro.com/agco/product-category/agcam/

Now Available for:
Balers
Calving Barns
Combines
Combine/Grain Truck
Sprayers

BEST SETUP TO MONITOR SPRAYERS

Part Numbers:	Machine:	Sprayer:
AG-H9QC2P	1 - 9in AgCam Quad High Definition Monitor	2 - AgCam High Definition Cameras
AG-HCP	1 - Suction Cup Monitor Mount	2 - 60ft Extension Cables
ACPV-SM	1 - AgCam High Definition Camera	
	2 - 20ft Extension Cables	

ORDER NOW

AHD CAMERAS

AHD PAL Cameras with OR without cables

AG-CK1P   AgCam AHD 92° FOV PAL forward facing camera with 20ft & 60ft cables
AG-HCP   AgCam AHD 92° FOV PAL forward facing camera
AG-HCPM   AgCam AHD 92° FOV PAL mirrored camera
AG-HC06P   AgCam AHD 46° FOV PAL forward facing camera
AG-HC12P   AgCam AHD 21° FOV PAL forward facing camera
AG-HC16P   AgCam AHD 15° FOV PAL forward facing camera

HOW CAN I VIEW MY AGCAM ON A 3RD PARTY MONITOR?

Dakota Micro, Inc. offers a wide variety of 3rd party adapter cables that allow users to input our cameras to almost any viewing device. Check out the back cover of the catalog for a list of available options.

WHAT IS THE DIFFERENCE BETWEEN NTSC AND PAL?

NTSC and PAL are two types of color encoding systems. NTSC is the North American standard and delivers a frame rate of 30 frames per second (fps). PAL is more common in Europe and Australia and utilizes a frame rate of 25 fps and an aspect ratio of 720x576. Most AGCO monitors require the use of a PAL video format camera. It's important your camera matches the color encoding system of the monitor you are utilizing.

WHICH CAMERA LENS DO I NEED AND HOW DO I CHOOSE?

All AgCam and EnduraCam camera kits include a 92° FOV camera. This is the widest view available without causing a "fish-eye" effect. The standard camera provides the perfect view for most applications providing a view slightly wider than your human eyes. Dakota Micro also offers cameras with a narrower focus range, allowing users to see objects farther away. If you need something wider than our standard camera, our RazerCam offers an ultra wide 170° FOV.

See our Lens Guide on page 7 or visit www.dakotamicro.com/agco

ANALOG CAMERAS

CBVS/Analog PAL Camera Kits

AgCam Analog 92° FOV forward facing camera with 20ft & 60ft cables	AG-C1LP
AgCam Analog Combine 2 camera kit wtih 20ft & 40ft cables	AG-LC2K
AgCam Analog Combine 4 camera kit with 20ft & 40ft cables	AG-LC4K

CVBS/Analog PAL Cameras

|	
AgCam Analog 92° FOV PAL forward facing camera	AG-LCP
AgCam Analog 92° FOV PAL mirrored camera	AG-LCPM
AgCam Analog 46° FOV PAL forward facing camera	AG-LC06P
AgCam Analog 21° FOV PAL forward facing camera	AG-LC12P
AgCam Analog 15° FOV PAL forward facing camera	AG-LC16P

HOW DO I KNOW IF I NEED A CVBS (ANALOG) CAMERA?

All current model AgCam and EnduraCam cameras are available in CVBS (Analog) or AHD. AHD (Analog High Definition) is the latest in video technology, offering a format that allows for a very high resolution video signal without the compression and video delay that happens with a full digital signal. All current Dakota Micro monitors are AHD and can display both Analog or AHD video signals. Older Dakota Micro monitors are CVBS, and can only display a compatible CVBS signal.

Note, all 3rd party monitors are still CVBS (Analog), so if you are using a 3rd party monitor, you will need to use one of the CVBS (Analog) AgCam or EnduraCam cameras listed above. Check page 16 of this catalog for a full listing of our available 3rd party adapters. If there's something that you don't see listed, contact us, it might be so new it's not listed in the catalog.

AGCAM & ENDURACAM CAMERA LENS FIELD OF VIEW GUIDE

	3.6MM CAMERA	6MM CAMERA	12MM CAMERA	16MM CAMERA
VIEWING ANGLE	92°	46°	21°	15°
CAMERA LOCATED 100FT FROM VEHICLE				
CAMERA LOCATED 50FT FROM VEHICLE				
COMMON USES	Close monitoring of moving parts	Rear View for Tractor or Truck	Surveillance Inside Buildings	Monitor Outside Buildings
	Unloading Trucks/ Semi	Monitor Sprayer Booms	Site Security & Surveillance	Monitoring Outdoor Traffic
	Material Loading & Unloading	Large Augers and Conveyors		
	Machine Hopper	Unloading Spouts		
	Backup Camera	Monitor Gauges		

Looking for a wider field of view? Check out the RazerCam on Pg. 12

AHD CAMERA & MONITOR KITS

AHD Camera and Monitor Double Camera Kits

EnduraCam 9in AHD LED backlit Quad Monitor, Double camera Kit   DMEC-H9QC2
EnduraCam 9in AHD LED backlit Quad DVR Monitor, Double camera Kit   DMECH9QDC2
EnduraCam 9in AHD LED backlit Monitor, Double camera Kit   DMEC-H9C2
EnduraCam 7in AHD LED backlit Monitor, Double camera Kit   DMEC-H7C2

Double Camera Kits Include:
Qty 2 - 20ft power/video extension cables
Qty 2 - 60ft power/video extension cables
Qty 1 - Monitor (choice of 9in Quad, 9in or 7in) w/ sunshield and stand
Qty 1 - Monitor Wire Harness
Qty 2 - EnduraCam AHD 92° FOV forward facing cameras
Qty 1 - A/C power adapter
Qty 1 - 12v cigarette lighter power adapter

AHD Camera and Monitor Single Camera Kits

EnduraCam 9in AHD LED backlit Monitor, Single camera Kit   DMEC-H9C1
EnduraCam 7in AHD LED backlit Monitor, Single camera Kit   DMEC-H7C1

Single Camera Kits Include:
Qty 1 - 20ft power/video extension cable
Qty 1 - 60ft power/video extension cable
Qty 1 - Monitor (choice of 9in or 7in) w/ sunshield and stand
Qty 1 - EnduraCam AHD 92° FOV forward facing camera
Qty 1 - A/C power adapter
Qty 1 - 12v cigarette lighter power adapter
Qty 1 - Monitor Wire Harness

Extension Cables

AgCam or EnduraCam 10ft shielded power/video extension cable	ACEC10
AgCam or EnduraCam 20ft shielded power/video extension cable	ACEC20
AgCam or EnduraCam 30ft shielded power/video extension cable	DMAC-EC30
AgCam or EnduraCam 40ft shielded power/video extension cable	ACEC40
AgCam or EnduraCam 50ft shielded power/video extension cable	ACEC50
AgCam or EnduraCam 60ft shielded power/video extension cable	ACEC60
AgCam or EnduraCam 80ft shielded power/video extension cable	DMAC-EC80
AgCam or EnduraCam 20ft reinforced shielded power/video extension cable	AC-EC206CF
AgCam or EnduraCam 40ft reinforced shielded power/video extension cable	AC-EC406CF
AgCam or EnduraCam 16ft 4-camera power/video cable	DMAC-JCT16
AgCam or EnduraCam 1ft thru tank or cab extension cable	ACACA1
AgCam or EnduraCam 6ft thru tank or cab extension cable	ACACA6

CAMERAS

AHD Cameras with OR without cables

EnduraCam AHD 92° FOV forward facing Camera with 20ft & 60ft cables   DMEC-CK1

EnduraCam AHD 92° FOV forward facing camera   DMEC-HC
EnduraCam AHD 46° FOV forward facing camera   DMEC-HC06
EnduraCam AHD 21° FOV forward facing camera   DMEC-HC12
EnduraCam AHD 15° FOV forward facing camera   DMEC-HC16

AHD PAL Cameras with OR without cables

DMEC-CK1P	EnduraCam AHD 92° FOV PAL forward facing camera with 20ft & 60ft cables
DMEC-HCP	EnduraCam AHD 92° FOV PAL forward facing camera
DMEC-HC06P	EnduraCam AHD 46° FOV PAL forward facing camera
DMEC-HC12P	EnduraCam AHD 21° FOV PAL forward facing camera
DMEC-HC16P	EnduraCam AHD 15° FOV PAL forward facing camera

CVBS/Analog Cameras

EnduraCam Analog 92° FOV forward facing camera with 20ft & 60ft cables   DMEC-C1L

EnduraCam Analog 92° FOV forward facing camera   DMEC-LC
EnduraCam Analog 92° FOV PAL forward facing camera   DMEC-LCP
EnduraCam Analog 46° FOV forward facing camera   DMEC-LC06
EnduraCam Analog 46° FOV PAL forward facing camera   DMEC-LC06P
EnduraCam Analog 21° FOV forward facing camera   DMEC-LC12
EnduraCam Analog 21° FOV PAL forward facing camera   DMEC-LC12P
EnduraCam Analog 15° FOV forward facing camera   DMEC-LC16
EnduraCam Analog 15° FOV PAL forward facing camera   DMEC-LC16P

WHY IS THE ENDURACAM THE BEST CHOICE?

EnduraCam cameras are built for heavy construction and high vibration environments, and while you can't see it on the outside, in every way, it's the inside that counts. The EnduraCam cameras feature internal reinforcements that allow the camera to withstand high impact, corrosive and heavy vibration environments. These reinforced components specifically focus on the circuit board and IR illumination components. Dakota Micro has designed these reinforcements to eliminate loosening or detachment under very high vibration situations.

AgCam, EnduraCam, and RazerCam cameras utilize a 5-pin Switchcraft connector and can be used interchangeably. OverView cameras, monitors and associated accessories utilize a 4-pin OverView connector and require an adapter to allow for interconnectivity.

DAKOTA MICRO MONITORS

Dakota Micro branded monitors feature the latest in AHD (Analog High Definition) technology. AHD provides a crystal clear, 720p resolution. Dakota Micro branded monitors are designed to be backward compatible with all CVBS (Analog) AgCam and EnduraCam cameras. Dakota Micro's wide angle camera, the RazerCam, is also fully compatible with all AHD EnduraCam & AgCam components.

Older CVBS (Analog) Dakota Micro branded monitors were designed to work with Analog cameras prior to AHD technology. If you are using an older monitor, Analog cameras are available to match your monitor.

Dakota Micro Monitors

Dakota Micro 9in AHD LED backlit Quad Monitor	AG-H9Q
Dakota Micro 9in AHD LED backlit Monitor	AG-H9
Dakota Micro 7in AHD LED backlit Monitor	AG-H7
Dakota Micro 7in AHD LED backlit Waterproof Monitor	AG-WH7
Dakota Micro 9in AHD backlit Quad DVR Monitor	AG-H9QD

Monitor Kit Includes:
Qty 1 - Dakota Micro Monitor (7in, 9in or 9in Quad)
Qty 1 - Monitor Wire Harness
Qty 1 - Monitor U-bracket stand
Qty 1 - Monitor remote control
Qty 1 - Monitor sun shade
Qty 1 - 12v cigarette lighter power adapter
Qty 1 - A/C power adapter

WHERE ARE SOME COMMON PLACES THE MONITORS ARE MOUNTED?

Skid-Steer - A 7in monitor fits perfectly inside the cab. Multiple mounting options included. See page 12 for more details

Tractor - The side post is a great location to mount your monitor. Cables may be tucked between the pillar and the window

Home - Watch calving operations, driveways, secure areas and other important locations.

AGCAM & ENDURACAM AHD WIRELESS KITS & COMPONENTS

Dakota Micro AHD Weatherproof Wireless Kits

Dakota Micro AHD Wireless Waterproof Receiver Kit	AG-HRX
Dakota Micro AHD Wireless Waterproof Transmitter Kit	AG-HTX
Dakota Micro AHD Wireless Waterproof Pair Kit	AG-HXPAIR

Wireless Pair Kit Includes:
Qty 1 - Wireless Transmitter 3-channel
Qty 1 - Wireless Receiver 3-channel
Qty 2 - 3dBi Antenna
Qty 2 - 12v cigarette lighter power adapters
Qty 2 - A/C power adapters
Qty 2 - Hardwire power options

Note: CVBS Compatible

Dakota Micro Wireless Accessories

DMAC-MA5	DM Wireless Mobile 5dBi Magnetic Antenna - Includes 6ft attached extension cable. Transmission distance- 1-2 miles (line of sight)
AG-MA7-PM	DM Wireless Mobile 7dBi Permanent Mount Antenna - Includes 6ft attached extension cables. Transmision-distance 1-2 miles (line of sight)
ACWA8	DM Wireless 8dBi Omni-Directional Antenna - Includes 20ft detachable extension cable. Transmission distance - 2-3 miles (line of sight)
ACWA8P	DM Wireless 8dBi Directional Antenna - Includes 20ft detachable extension cable. Transmission distance - 2-3 miles (line of sight)
ACAEC20	DM Wireless 20ft Antenna Extension Cables
ACAC20	DM Wireless 20ft Antenna Replacement Cable

RAZERCAM 170° WIDE ANGLE CAMERA

RazerCam Cameras & Brackets

RazerCam 170° Analog High Definition backup camera — DMRZ-HC
RazerCam 170° Analog backup camera — DMRZ-LC
RazerCam 170° Analog PAL backup camera — DMRZ-LCP
RazerCam Universal camera bracket — DMRZ-CBKT

RazerCam Skid-Steer Kit

RazerCam 7in AHD Single Camera Universal Skid-Steer Kit — DMRZ-SH7C1

RazerCam Kit Includes:
Qty 1 - 7in AHD Monitor w/ sun shield & wire harness
Qty 1- Skid-Steer Monitor Bracket
Qty 1 - Panavise Universal Monitor mounting bracket
Qty 1 - RazerCam 170° FOV AHD Camera
Qty 1 - Wide Angle Camera bracket (Bobcat® specific)
Qty 1 - Wide Angle camera heat shield (Bobcat® specific)
Qty 1 - Universal RazerCam camera bracket mount
Qty 1 - 15ft power/video extension cable
Qty 1 - 12v cigarette lighter power adapter
Qty 1- Hardwire power adapter w/ quick connect clips

RAZERCAM CAMERA FEATURES:

- True HD Resolution (720P)
- 1 Year Warranty
- Native 16:9 aspect ratio ensures image is not "stretched" to match monitors
- Improved color and clarity over standard analog video cameras
- Increased ability to interpret shadowed areas, allowing for a larger viewing area
- Built-in, high-quality CCD camera with high-performance lighting
- Auto on IR Lighting
- Camera lens features a 170° wide angle horizontal field of view
- IP69 - 100% waterproof & dust-proof

RAZERCAM BRACKET ASSEMBLIES

RazerCam Universal Bracket Assembly

Features:
○ Easy to install universal bracket
○ Multiple mounting hole configurations
○ Can be utilized with DM camera magnets for temporary mounting locations
○ Installs in minutes

RazerCam Specific Bracket Assembly for Bobcat® Skid-Steer Loaders

Features:
○ Utilizes pre-existing buzzer hole on back door of Bobcat®
○ Includes heat shield to protect camera (required for Bobcat® Model 770 and up)
○ Angled mount allows for viewing of ground
○ Installs in minutes
○ No drilling or modifications needed
○ Bracket and Heat Shield for Bobcat® Specific Assembly (Included in RazerCam Skid-Steer kit, not sold separately)

WHAT DOES THE RAZERCAM LOOK LIKE INSTALLED?

OVERVIEW CAMERA & MONITOR KITS

OVERVIEW WIRELESS KITS

Camera and Monitor Kits

OverView 7in LED backlit Quad Monitor, Double Camera Kit   DMOV-7MQC2
OverView 7in LED backlit Monitor, Double Camera Kit   DMOV-7M-C2
OverView 7in LED backlit Monitor, Single Camera Kit   DMOV-7M-C1

Camera Kits Include:
Qty 2 - 40ft power/video extension cables (1 in single kit)
Qty 1 - Monitor (choice of 7in Quad or 7in) w/ sun shield and stand
Qty 2 - OverView Analog 120° FOV forward facing camera (1 in single kit)
Qty 1 - 12v Cigarette Lighter power adapter
Qty 1 - Monitor Wire Harness

Features
• Quad Monitor can display 4 cameras simultaneously
• 4 video inputs on 7in Quad Monitor, 3 video inputs on 7in Monitor
• Forward/Mirror image selection
• Event Triggers provided for all 4 cameras
• Auto ON/OFF sensor automatically triggers night vision when required

Individual Camera & Monitor Components

OverView Analog 120° FOV forward facing Camera   DMOV-RC
OverView Analog 120° FOV PAL forward facing Camera   DMOV-RCP
OverView 7in Quad Monitor Kit   DMOV-7MQ
OverView 7in Monitor Kit   DMOV-7M

Extension Cables

OverView 10ft Shielded Power/Video Cable   DMOV-EC10
OverView 20ft Shielded Power/Video Cable   DMOV-EC20
OverView 40ft Shielded Power/Video Cable   DMOV-EC40
OverView 50ft Shielded Power/Video Cable   DMOV-EC50
OverView 65ft Shielded Power/Video Cable   DMOV-EC65
OverView 75ft Shielded Power/Video Cable   DMOV-EC75

All in One Digital Wireless Kit

OverView Digital Wireless 7in Double Camera Kit   DMOVDW7MC2

Camera Kits Include:
Qty 1 - OverView 7in Digital Wireless Monitor
Qty 2 - OverView Digital Wireless cameras
Qty 1 - 12v Cigarette Lighter power adapter
Qty 2 - 12v Hardwire power adapters
Qty 3 - 5dBi Wireless Antennas

Features
• Built in Digital wireless eliminates the need for extra components
• Up to 1/4 mile range with line of sight
• View cameras one at a time or side by side
• Capable of displaying 2 digital wireless cameras
• Built in Infrared night vision allows for viewing up to 45+ feet

Wireless Add On Kits

Dakota Micro AHD Wireless Waterproof Receiver Kit   AG-HRX
Dakota Micro AHD Wireless Waterproof Transmitter Kit   AG-HTX
Dakota Micro AHD Wireless Waterproof Pair Kit   AG-HXPAIR

Wireless Pair Kit Includes:
Qty 1 - Wireless Transmitter 3-channel
Qty 1 - Wireless Receiver 3-channel
Qty 2 - 3dBi Antenna
Qty 2 - 12v cigarette lighter power adapters
Qty 2 - A/C power adapters
Qty 2 - Hardwire power options

Note: CVBS Compatible

WHAT IS THE DIFFERENCE BETWEEN THE OVERVIEW AND THE AGCAM & ENDURACAM?

The OverView camera line is intended for light duty use, and is custom manufactured to Dakota Micro specifications. This affordable line is perfect for uses that don't require the durability of the AgCam and EnduraCam camera lines.

ADAPTER CABLES & ACCESSORIES

AgCam, EnduraCam & RazerCam Adapter Cables

DMAC-JD4C	JD 4640 four camera video adapter cable
DMAC-JD3C	JD 2630 three camera video adapter cable
DMAC-JDCOC	JD Command Center or 4600 Gen 4 adapter cable
DMAC-JD6R	JD 6R or NH CR Combine video adapter cable
DMACJD2COC	JD ComandView II Cab video adapter cable
DMAC-CAT1	CAT/Orlaco video adapter cable
DMAC-CLS	CLAAS video adapter cable
DMAC-2USB	USB video adapter cable
BUSB1-TC	TOPCON X30 and C300 adapter cable
DMAC-OVC	AgCam/EnduraCam/RazerCam monitor adapter cable
DMAC-OVM	OverView monitor to AgCam/EnduraCam/RazerCam cable
DMAC-ADVXM	AgCam/EnduraCam/RazerCam to Audiovox adapter cable
DMAC-ADXC	Audiovox camera to DM monitor adapter cable
DM-DF2C	Camera to DanFoss DM 1x00 series monitor
DMAC-MTH1	Camera to Mueller Touch 800/1200
DMAC-MTC	Monitor to threaded collar s-video female (Motec) adapter

DMAC-MTM	Camera to threaded collar s-video male (Motec)
DMAC-CNH1	CNH Intelliview or DVR single camera adapter
DMAC-CNH3	CNH IntelliView 3 camera adapter cable
DMAC-CNH1F	CNH 7-pin Mini Amp video adapter cable
DM-CNH2C	Camera to CNH AFS Pro 1200
DM-CP3C	Camera to Camera Ready CNH 40 Series Sprayer
ACTRMBLFMX	Trimble video adapter cable
DMAC-ALI	AgLeader video adapter cable
DMAC-1CTK	One camera trailer connector kit
DMAC-5CTK	Five camera trailer connnector kit
VER-WAC11	Versatile monitor adapter cable
DAC-FDT01	5-pin Male M12 (Fendt) adapter cable
AC-A1C	AGCO C1000 adapter cable
AC-A2C	AGCO C2100 adapter cable
AC-TVA	Camera to TV adapter w/ AC power
DMAC-SCA	Camera to BNC female adapter cable
AC-SSA	Camera to BNC female with power adapter

OverView Adapter Cables

DMOV-JD4C	OverView camera to JD4640 4 camera adapter cable
DMAC-JD3C	OverView camera to JD2630 3 camera adapter cable
DMOV-ADVXM	OverView camera to Audiovox adapter cable
DMOV-ADXC	OverView Monitor to Audiovox adapter cable
DMOV-JD6R	OverView camera to JD 6R Command Ctr or NH CR Combine
DMOV-JD2COC	OverView camera to JD Commandview II adapter cable
DMOV-JDCOC	OverView camera to JD Command Center adapter cable
DMOV-CAT1	OverView camera to CAT/Orlaco adapter cable

DMOVTRMFMX	OverView camera to Trimble adapter cable
DMOV-CNH1F	OverView camera to CNH 7-pin mini amp
DMOV-CNH1	OverView camera to CNH InetlliView or DVR
DMOV-CNH3	OverView camera to CNH Inteliview 3 camera
DMOV-ALI	OverView camera to AgLeader video adapter cable
DMOV-1CTK	OverView one camera trailer connector kit
DMOV-5CTK	OverView five camera trailer connector kit

Accessories

AC-CT	AgCam or EnduraCam 36in camera tail (straight)
DM-CT10	AgCam or EnduraCam 10ft camera tail (straight)
AC-CT-A	AgCam or EnduraCam 36in camera tail (90 deg)
DM-CTANG10	AgCam or EnduraCam 10ft camera tail (90 deg)
ACPV-PM	Monitor hard mount, by Panavise
ACPV-SM	Monitor suction cup mount, by Panavise
DM-PVBM	Monitor bar mount, by Panavise
ACBSTAND	Monitor adhesive mount
ACOV-7M	7in monitor U-bracket
DACOV-9M	9in monitor U-bracket
DM-H7SBRKT	7in skid-steer monitor bracket
ACACA1500	A/C power adapter >1.5amp
AG-PA3L	A/C power adapter locking >3amp
ACBNC-RCA	Male BNC to Female RCA adapter
DM-DTH	12v Deutsch DTH 2-pin power adapter
AG-12V	12v power adapter locking
AC12VHRDWR	12v hardwire power adapter
DM-HDWRE	12v hardwire power adapter locking

DMAC-AV-M	AgCam monitor to RCA male adapter
DMAC-AV-F	AgCam camera to RCA male adapter
DMAC-CM	AgCam or EnduraCam camera magnet
DMOV-CM	OverView camera magnets
DMAC-CBM	AgCam or EnduraCam camera bracket w/ magnet
DMOV-CB	OverView camera bracket
DMAC-MRNG	Monitor in-line noise supressor
AC-MWH	DM 7in & 9in monitor wire harness
DM-H9QMWH	DM 9in AHD Quad monitor wire harness
DMOV-7MMWH	OverView 7in monitor wire harness
DMOV7MQMWH	OverView 7in Quad monitor wire harness
DMAC-QCMWH	AgCam monitor wire harness w/ quick connect
DMACQC2ACM	AgCam camera to Kinze grain cart video adapter
DMAC-SWCAP	AgCam or EnduraCam female dustcap
DMOV-ECCAP	OverView universal dustcap
DM-HRMT	Dakota Micro 7in or 9in AHD monitor remote
DM-H9QRMT	Dakota Micro 9in Quad AHD monitor remote
DMOVREMOTE	OverView monitor remote